

**APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office MAY 21 1981

Returned to applicant for correction JUL 16 1981

Corrected application filed SEP 23 1981

Map filed APR 15 1982

The applicant Samuel L. Weldman

1510 E. Sahara Avenue, of Las Vegas

Street and No. or P.O. Box No.

City or Town

Nevada 89104

State and Zip Code No.

hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Las Vegas Artesian Basin

Name of stream, lake or other source.

2. The amount of water applied for is 0.5 second-feet

One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet                      acre-feet

3. The water to be used for Domestic (Quasi Municipal)

Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)                     

(b) Stockwater (state number and kinds of animals to be watered)                     

(c) Other use (describe fully under "No. 12. Remarks")                     

(d) Power:

(1) Horsepower developed                     

(2) Point of return of water to stream                     

5. The water is to be diverted from its source at the following point: NW 1/4, SE 1/4, Sec. 9, T. 23S.

R 61 E., MDM at a point which bears N. 32 degrees 02 '20" E. a distance of

1825 feet from the south 1/4 corner  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.

6. Place of use SW 1/4, SE 1/4, NW 1/4, SE 1/4, Sec. 9, T 23S., R 61E. MDM.

Describe by legal subdivision, if on unsurveyed land it should be so stated.

Clark County, Nevada

7. Use will begin about January 1st and end about December 31, of each year.

Month and Day

Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 8" sq. ft. well, pump and 250 gal. pressure tank

State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works.....\$8,000.00
10. Estimated time required to construct works.....60 days  
If well completed, describe works.
11. Estimated time required to complete the application to beneficial use.....3 months to 12 months
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.  
expected daily rate 2,400 gal. per

By s/Jay M. Rassler  
Signature, applicant or agent  
Compared cs/dh.....bt/ja.....Jay Rassler State W/R Surveyor #477  
127 Magnesium  
Henderson, NV 89105  
APPROVAL.....OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....0.5.....cubic feet per second, but not to exceed.....2.92 million gallons annually.

Actual construction work shall begin on or before.....N/A

Proof of commencement of work shall be filed before.....N/A

Work must be prosecuted with reasonable diligence and be completed on or before.....October 12, 1983

Proof of completion of work shall be filed before.....November 12, 1983

Application of water to beneficial use shall be made on or before.....October 12, 1985

Proof of the application of water to beneficial use shall be filed on or before.....November 12, 1985

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....  
Completion of work filed.....FEB 16 1983  
Proof of beneficial use filed.....  
Cultural map filed.....  
Certificate No.....Issued.....

IN TESTIMONY WHEREOF, I.....PETER G. MORROS  
State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 12th day of OCTOBER

A.D. 1982.....  
State Engineer